Trailers range up to 3.5 to

Single-axle-Trailers

Flatbed / Wheels-in

Small but strong trailers by Humbaur

HUMBAUR

Competence in Trailers

BAUDER
BauderPIR
Der Hochleistungsdämmstoff
BAUDER
HUMBAUR

Maintain an **overview**

Table of Contents

Allow us to convince you 4
Exactly what building contractors and passionate gardeners need 6

Flatbed trailers
Steely 8
Startrailer 12
HA (tiltable) 16

Wheels-in trailers
HU 22
HN 26

Optional accessories 30

We at Humbaur 35

Allow us to **convince** you

Follow HUMBAUR!

The quality trailer specialist.

Scott Arssen, pensioner, Cambridge

Our arguments make it easy for you to become a convinced fan of high-quality Humbaur products.

HUMBAUR

Competence in Trailers

30 years of experience

For the past three decades, we have been among the leading manufacturers of passenger vehicle trailers. Over 700,000 trailers have left our premises since the establishment of our company. We now manufacture approximately 50,000 units per year. You will be able to discover this abundance of experience in each of our trailers.

High quality

Robust and long lasting – are the qualities a trailer needs to have. We achieve this goal by using excellent components and first-class manufacturing processes. We inspect each trailer in detail before delivering it.

Multiple transport solutions

Our products cover a particularly wide range of applications. Are you looking for a trailer for private or business use? Then you will find a suitable model for a wide range of applications with us. Choose between a permissible gross weight of 750 kg to 40 to.

Large choice of accessories

Do you have a lot of individual requirements for your trailer? With our many suitable accessories, each customer can extend our comprehensive range of serial accessories to suit his needs.

Enthusiastic customer service

Your nearby specialist dealer can provide you with trailers up to 3.5 t. Owners of trailers with a gross weight of over 5 t can make use of our direct service. Whether you need a spare part or have questions about applications – we and your local dealer are there to assist you.

High-quality components

Quality is in the detail, which is why Humbaur only makes use of high-quality vehicle components made by well-known manufacturers. We are continuously exchanging experiences with our suppliers. This allows us constantly to optimise products.

Made in Germany

Whether you decide on one of our 420 serial models or commission a special model customised to your individual requirements: We develop and manufacture all our trailers in accordance with the latest state of technology. You will receive top-class Quality »made in Germany«.

HUMBAUR

Exactly what **building contractors** and **passionate**

The 1000 series

Steely
Flatbed trailer

Its anti-slip water-resistant wooden floor and sturdy design make the Steely flatbed trailer a convincing proposal in the garden and on the building site. Elegant tension locks keep the tailgate safely closed. Do you need a flat cover or raised tarpaulin? Fastening buttons are already pre-installed - you can retrofit one at any time.

Startrailer
Flatbed trailer

Do you need to transport garden waste, small bulk waste or larger purchases? Then you will love the Startrailer flatbed trailer. It is particularly lightweight, can be deployed in many applications, and looks great:
For example, take a look at the elegant discreetly recessed locks for the tailgate.

HA
Flatbed trailer

This one can do almost anything! The large selection of accessories allows you to equip the HA flatbed trailer for a wide range of applications. It transports your motorcycles, bicycles, garden tools and much more. The goods are lashed down using the lashing brackets recessed in the aluminium side walls to prevent it from sliding around.

gardeners need

HA tiltable
Flatbed trailer

Gardening equipment and motorcycles can, for example, be transported more easily if the trailer is tiltable. For these and similar applications we equipped the HA flatbed trailer with a tiltable body in this variant. A shock absorber simplifies the tilting process. Reinforcing ribs and additional hinges at the tailgate, for example, make the trailer particularly sturdy.

HU
Wheels-in trailer

No compromises have been made to ensure the durability and quality of the HU wheels-in trailer. All the important metal components are hot-dip galvanised. You can fold down the drop sides, or remove them completely, to make loading and unloading particularly easy. Loads can be easily fixed down using the recessed locks. The low load height will prove its value in daily use for various applications.

HN
Wheels-in trailer

Practical and well-designed: With the drop sides folded down you can load your goods onto the HN wheels-in trailer simply using a forklift truck. Its low load height makes handling easier for you. The towing rings of our trailer can withstand tractive forces of 400 kg. This can also be used for safely transporting heavy goods. Dekra has tested this.

Steely Flatbed trailer

Cuts a good figure in your garden

or on your building site

1. **V drawbar** hot-dip galvanised
2. 7-pin plug
3. **Floor plate** 9 mm thick
4. **Drop sides** made of hot- dip galvanised, canted **steel plate**
5. **Tailgate** with tension locks
6. **4 tie-rings** on the inside of the drop sides
7. Pre-mounted **attachment buttons** for attaching the tarpaulin to the **drop sides**
8. Humbaur **multifunction lighting** is integrated into the underride protection
9. **Corner stanchions** with insert option

1000 series

Model	**Steely**
Body dimensions in mm	2960 x 1545 x 805
Internal dimensions in mm	2050 x 1095 x 300
Permissible gross weight in kg	750
Load capacity in kg	630
Load height in mm	495
Tyre size in inches	13



1 2



3

4

1 Hot-dip galvanised V drawbar with lateral bracing

2 Drop side extension 300 mm high made of steel (optional)

3 Tension locks on the tailgate

4 Four tie-rings attached to the side walls

Subject to change without notice. All dimensions are approximate values refer to the standard vehicle without accessories.

Steely Flatbed trailer

…with drop side extension and flat cover*

…with awning*

…with H-frame*

*Accessories (optional):

- Drop side extensions 300 mm
- H-frame
- Flat cover, grey
- Tarpaulin and frame, Load height 1000, grey
- 2 loose prop stands
- Cover net
- 13 - 7-pin adapter
- Spare wheel
- Jockey wheel with mounting parts

Startrailer Flatbed trailer

It helps you –

whatever you are planning to do



1 **V drawbar** hot-dip galvanised
2 7-pin plug
3 Floor plate **12 mm thick**
4 **Drop sides** made of **anodised,** double-walled **aluminium profiles**
5 **Tailgate** with recessed locks
6 **4 lashing rings** for attachment to the **outside of the drop walls**
7 **Pre-mounted attachment buttons** for attaching the tarpaulin to the **drop sides**
8 Humbaur **multifunction lighting** integrated into underride protection
9 **Corner stanchions** with insert option

1000 series

Model	**H 752010**
Body dimensions in mm	2930 x 1476 x 815
Internal dimensions in mm	2010 x 1020 x 300
Permissible gross weight in kg	750
Load capacity in kg	628
Load height in mm	510
Tyre size in inches	13

1

2

3

1 Jockey wheel with crossbar (optional)
2 Coupling with safety display
3 Corner stanchions with insert option and four lashing rings for attachment

Subject to change without notice. All dimensions are approximate values values refer to the standard vehicle without accessories.

Startrailer Flatbed trailer

…with awning*

…with side rail*

…with flat cover*

*Accessories (optional):

- Drop side extensions 300 mm
- H-frame welded 500 mm
- Side add-on rail
- Wood/aluminium cover, internal height 185 mm
- Rail on wood/aluminium cover 2010 x 1020 mm
- 2 crossbars for bicycle stands, width 1020 mm
- 1 bicycle stand with bracket (lockable)
- Cover net
- Flat cover, blue
- Tarpaulin and frame, blue, 1000 mm
- Spare wheel
- Spare wheel holder
- Jockey wheel with mounting parts
- 13 - 7-pin adapter
- 2 prop stands

HUMBAUR
humbaur.com

HA Flatbed trailer

The universal work horse: versatile and robust

Fixed front side

High drop-sides

HA tiltable

HA with rear ramp

1 **V drawbar** hot-dip galvanised

2 **13-pin plug** and **reversing light**

3 **Floor plate** 15 mm thick

4 **Drop sides** made of **anodised, double-walled aluminium profiles**

5 **Back flap** with recessed locks

6 **Flap** with recessed locks (optional)

7 **Tie-down rings** (4 units up to 2050 mm / 6 units up to 2510 mm box length) **integrated into the drop sides** (only possible with 350 mm drop sides), tractive force 400 kg per lashing ring, Dekra-tested

8 **Only at the HA tiltable**: platform with shock absorber support for tilting, **tilting angle at rear 18°**, **reinforced tailgate and reinforced underride protection at HA 132513**

9 Humbaur **multifunctional lighting** integrated in the underride protection

10 **Corner posts with inserting options**

11 **Foldable rear ramp**, only at HA 132513 with **grid rear ramp**

Series 1000 – HA flatbed overview

Permissible gross weight in kg	MODEL	Body dimensions in mm	Internal dimensions in mm	Load capacity in kg	Load height in mm	Tyre size in inches	braked
750	**HA 751611**	2680 x 1548 x 870	1650 x 1100 x 350	625	510	13	
750	**HA 751611 G**	2815 x 1550 x 870	1650 x 1100 x 350	608	510	13	✓
750	**HA 751611-5**	2680 x 1548 x 1020	1650 x 1100 x 500	625	510	13	
750	**HA 751611-5 G**	2815 x 1550 x 1020	1650 x 1100 x 500	608	510	13	✓
750	**HA 752111**	3025 x 1548 x 870	2050 x 1100 x 350	610	510	13	
750	**HA 752111-5**	3025 x 1548 x 1020	2050 x 1100 x 500	598	510	13	
750	**HA 752113**	3035 x 1760 x 870	2050 x 1310 x 350	602	510	13	
750	**HA 752113-5**	3035 x 1760 x 1020	2050 x 1310 x 500	589	510	13	
750	**HA 752513**	3580 x 1760 x 865	2510 x 1310 x 350	581	510	13	
750	**HA 752513 FS**	3580 x 1760 x 865	2510 x 1310 x 350	585	510	13	
750	**HA 752513-5**	3580 x 1760 x 1015	2510 x 1310 x 500	565	510	13	
750	**HA 752513 tiltable**	3580 x 1760 x 865	2510 x 1310 x 350	577	510	13	

HA 752111

HA 132513

Subject to change without notice. All dimensions are approximate values refer to the standard vehicle without accessories.

HA Flatbed trailer

Permissible gross weight in kg	MODEL	Body dimensions in mm	Internal dimensions in mm	Load capacity in kg	Load height in mm	Tyre size in inches	braked
1000	**HA 102111**	3215 x 1550 x 905	2050 x 1100 x 350	822	525	13	√
1000	**HA 102111-5**	3215 x 1550 x 1055	2050 x 1100 x 500	810	525	13	√
1000	**HA 102113**	3215 x 1770 x 890	2050 x 1310 x 350	801	530	13	√
1000	**HA 102113-5**	3215 x 1770 x 1040	2050 x 1310 x 500	788	530	13	√
1300	**HA 132513**	3760 x 1810 x 905	2510 x 1310 x 350	1085	530	14	√
1300	**HA 132513 FS**	3780 x 1810 x 905	2510 x 1310 x 350	1058	530	14	√
1300	**HA 132513-5**	3760 x 1810 x 1055	2510 x 1310 x 500	1043	530	14	√
1300	**HA 132513 tiltable**	3795 x 1800 x 915	2510 x 1310 x 350	1046	565	14	√
1300	**HA 13 25 13 Alu with rear ramp**	3850 x 1810 x 1525	2510 x 1310 x 350	1008	530	14	√
1500	**HA 152513**	3760 x 1810 x 875	2510 x 1310 x 350	1248	525	14	√
1500	**HA 152513 FS**	3760 x 1810 x 875	2510 x 1310 x 350	1253	525	14	√
1500	**HA 153015**	4320 x 2004 x 940	3030 x 1500 x 350	1209	590	14	√

HA 132513-5

HA 752513 tiltable

Subject to change without notice. All dimensions are approximate values.

1

2

3

4

5

6

1 Tiltable box construction (tiltable for HA) with shock absorber support
2 Hot-dip-galvanised drawbar
3 Tie-down rings integrated into drop sides (4 or 6 pcs.), standard equipment for 350 mm drop sides
4 Drive-up situation for tiltable HA
5 Front side position lamps
6 Flap with recessed locks

With reinforced tailgate and reinforced underride protection, tiltable for the HA132513



HA Flatbed trailer

…with tarpaulin*

…with aluminium/wood cover, rail and bicycle stand*

…with steel grid attachment*

…unbraked

*Accessories (optional):

- Spare wheel
- Spare wheel holder
- Jockey wheel with mounting parts
- 2 prop stands
- Wheel shock absorber, loose, without 100 km/h confirmation
- Wheel shock absorber, mounted, with 100 km/h confirmation
- 13 - 7-pin adapter
- 7 - 13-pin adapter
- Front flap
- Steel grid attachment 620 mm
- H-frame welded 500 mm
- Side rail
- Aluminium drop side extension
- Wood/aluminium cover, for basic drop sides, pre-assembled, inner height 185 mm
- Rail on wood/aluminium cover
- 2 crossbars for bicycle stands, width 1100 mm
- 1 bicycle stand with bracket (lockable)
- Flat cover
- Tarpaulin and frame, load height 1300 mm / 1600 mm / 1800 mm
- Long drawbar size depending on model (not at all possible)

HUMBAUR

HU Wheels-in trailer

Convincing in every capacity

due to its durability and quality

1 Chassis welded and **hot-dip galvanised**
2 **Floor plate** 15 mm thick
3 Drop-sides 300 mm, **foldable and removable**
4 Over-centre catches
5 **Conic corner posts, removable**
6 Jockey wheel
7 Humbaur **multifunction lighting** integrated into underride protection
8 V-groove external frame with **2 pairs of sunken lashing points**



1000 series

Model	HU 752314	HU 132314
Body dimensions in mm	3535 x 1535 x 988	3580 x 1535 x 955
Internal dimensions in mm	2300 x 1400 x 300	2300 x 1400 x 300
Permissible gross weight in kg	750	1300
Load capacity in kg	520	1010
Load height in mm	690	655
Tyre size in inches	13	13

Model	HU 152314
Body dimensions in mm	3580 x 1535 x 955
Internal dimensions in mm	2300 x 1400 x 300
Permissible gross weight in kg	1500
Load capacity in kg	1210
Load height in mm	655
Tyre size in inches	13

1 V-groove external frame with 2 pairs of sunken lashing points

2 Over-centre catches

3 Weldmelsh extension sides (optional)

Subject to change without notice. All dimensions are approximate values refer to the standard vehicle without accessories..

1

2

3

HU Wheels-in trailer

*Accessories (optional):

- Flat cover
- Drop side extensions 350 mm
- Closed aluminium extension sides 620 mm
- Steel grid attachment 620 mm
- Tarpaulin and frame, load height 1300 mm / 1600 mm
- 2 telescopic prop stands
- Toolbox

Corner posts and drop-sides removable completely

GUTEX
humbaur.com

HN Wheels-in trailer

Specialised in special tasks -

with a low load height and high versatility

1 **V drawbar** hot-dip galvanised
2 **Low frame construction**
3 **13-pin plug** and **reversing lights**
4 **Floor plate** 18 mm thick
5 **Drop sides** made of **anodised**, double-walled **aluminium profile** with recessed fasteners - can be completely removed
6 **4 pcs. tie-down rings** integrated into outer V-frame profile, tractive force 400 kg per tie-down ring, Dekra-tested
7 Jockey wheel
8 Humbaur **multifunction lighting** integrated into underride protection
9 **Corner stanchions** with insert option

1000 series

Model	**HN 132616**
Body dimensions in mm	3920 x 1713 x 930
Internal dimensions in mm	2650 x 1650 x 300
Permissible gross weight in kg	1300
Load capacity in kg	962
Load height in mm	610
Tyre size in inches	13

Model	**HN 152616**
Body dimensions in mm	3920 x 1713 x 930
Internal dimensions in mm	2650 x 1650 x 300
Permissible gross weight in kg	1500
Load capacity in kg	1152
Load height in mm	610
Tyre size in inches	13


1

2

3

1 Stanchion supports and removable corner stanchions, both hot-dip galvanised

2 Tie-down rings directly integrated into outer frame (4 pcs.)

3 Ideal for loading from all sides

Subject to change without notice. All dimensions are approximate values refer to the standard vehicle without accessories.

HN wheels-in trailer

…with H-frame*

*Accessories (optional):

- Long drawbar
- Spare wheel
- Spare wheel holder mounted on drawbar (only possible for long drawbar)
- 2 telescopic prop stands
- 7 - 13-pin adapter
- Wheel shock absorber, loose, without 100 km/h confirmation
- Wheel shock absorber, mounted, with 100 km/h confirmation
- Drop side 350 mm
- Drop side extensions 350 mm
- H-frame
- Flat cover
- Flat cover for drop side extension
- Tarpaulin and frame, load height 1300 mm / 1600 mm / 1800 mm

Corner stanchions and drop sides completely removable!

Optional accessories – as desired

Body

Drop wall attachment 350 mm (300 mm for Startrailer)

H-frame

Wood / aluminium cover for basic drop wall

Front flap



Crossbar for bicycle stands (2 pcs., loose)

Bicycle stand with lockable bracket (1 x) for wood / aluminium covers



Rail on wood / aluminium cover

Side rail or front and rear rail

Steel grid attachment for HA trailer

Lighting / electronics

7 - 13-pin adapter

13 - 7-pin adapter

Chassis

Long drawbar (size depending on model)

Crossbar (loose) for jockey wheel

Anti-theft device



Shackle lock for braked trailers up to 3500 kg (with AL-KO AE)

Load securing

Cover net

Wheel shock absorbers (mounted) incl. 100 km/h confirmation, wheel shock absorbers (loose) without 100 km / h confirmation

Prop stands, loose (2 pcs.)

Metal locking shoe with lock

Tie-rings, recessed, mounted in wooden floor, tractive force 0.2 t each (4 pcs.) or pull force 0.4 t each (4 or 6 pcs.)

Telescopic prop stands (2 pcs.)

Jockey wheel (size depending on model)

Plug lock for unbraked trailers

Optional accessories – as desired

Wheels

Spare wheel



Spare wheel holder mounted on drawbar
(only for longer drawbars)



Spare wheel holder (loose)

Tarpaulins

Flat cover (available in various colours depending on model),
also with mounted drop side extension

Flat cover version with side rail
(incl. front and rear rail)

Tarpaulin and frame, load height 1000/1300/1600/1800 mm
(size depending on model)

Tarpaulins in standard colours

White /
similar to RAL 9010

Medium yellow /
similar to RAL 1003

Orange /
similar to RAL 2011

Grey /
similar to RAL 7038

Red /
similar to RAL 3002

Green /
similar to RAL 6026

Blue /
similar to RAL 5002

We will gladly provide individual tarpaulin lettering on request!

Please note that the colours illustrated may differ from the original colours.

HÖRL &
HARTMANN
ZIEGELTECHNIK GMBH
UNIPOR
GREISEL
KLIMANORM
09852/9009-0
humbaur.com

HUMBAUR

Competence in Trailers

»**Quality** made in **Germany**…«

…has been our motto since the company was established in 1957. With around 420 serial production models for the private and commercial sectors, Humbaur is one of Europe's leading trailer manufacturers.

Innovative and experienced, with a presence throughout Europe and beyond. As an owner-managed, medium-sized family business, we know what our customers need and how they work.

This is why we develop our products meticulously, manufacturing them with the greatest care and then putting them through their paces. Innovative ideas, cutting-edge manufacturing, a clear focus on quality and competent, comprehensive support are our strengths. Strengths that we provide to serve our customers.

Ulrich Humbaur
Director / CEO

Competence in Trailers

HUMBAUR

Competence in Trailers

Have a look at our product range.

We offer a large variety of trailer models. Throw a glance at our brochures to see our **single/double axle trailers**, **vehicle, animal and universal transport trailers, construction site and flatbed trailers and commercial trailers**. We will gladly customise a trailer to meet your needs. Speak to us!

Safety note! The trailer may only be used with express adherence to all road traffic, professional association and load securing regulations. We assume no responsibility for printing or other errors or omissions. Subject to change without notice. All dimensions are approximate values. refer to the standard vehicle without accessories. Printed in Germany. Reprint prohibited · Illustrations similar; some trailers and detailed images show special equipment · Order no. 009.00066 - Date: 01/16.

Humbaur GmbH • Mercedesring 1 • 86368 Gersthofen • Germany • info@humbaur.com • www.humbaur.com